



Ducted Vacuum Owner's Manual

User instruction manual and warranty information.

Please read this before installing or using your
Premier Clean Ducted Vacuum Unit.

For replacement bags
buy online at www.premierclean.com.au
or to find your local dealer

www.premierclean.com.au

Information

For an up to date look at Premier Clean Ducted Vacuum Accessories -

Find your nearest dealer at www.premierclean.com.au



www.premierclean.com.au

Table of Contents

Installation 4

Unit Installation
Muffler Installation
To change Premier 3000, 4000,
5000 and 6000 from Bagless
to Bag System

Operating Instructions

Operation & Care 5
Accessories 6
Speed Variation Hose 7

Maintenance 8

Motor
Changing bags and filters

Troubleshooting 9

Decreased Suction
Vacuum will not start up
Vacuum will not stop

Warranty Information 10

Warranty & Warranty Requirements

www.premierclean.com.au

Installation

Using the mounting plate provided with your Vacuum System, secure the mounting plate to the wall at a height allowing easy access for maintenance of the filter, dirt receptacle and or bags.

Please note: Monarch Systems must be at least 10 to 15 cm off the ground.

Contrary to all other connections in the ducting of your vacuum system, do not glue the last fitting going into your unit. This will allow easy removal for any repairs.

Attach your low voltage wires to the low voltage inlet on the side of your unit. Simply strip the wires approx 1/2 cm and clamp them into the plugs supplied. Plug the power cord into the 240 Volt power point and you are ready to start cleaning.

Muffler Installation

Monarch 490, 550 and 850 and Premier 490, 550, 4000, 5000 and 6000 are supplied with a exhaust muffler. These simply fit on to the side of your unit with the elbow supplied. Place the elbow onto the exhaust of the motor, it's best to tape the elbow to the muffler.

How to change from a Bagless System to a Bag System

PREMIER 3000 **PREMIER 4000** **PREMIER 5000** **PREMIER 6000**

Premier 3000, 4000, 5000 and 6000 units come Standard as a Bagless System. These units can be used as a bag system.

- Remove weighted filter - leaving in secondary filter
- Attach the 45 degree bend to the pipe inside the unit
- Glue or tape bag adaptor to the 45 degree bend
- Push bag over the top of the adaptor
- Replace bottom bin
- Unit is now ready to be used as a Bag System

Operation & Care

STARTING VACUUM – Simply open outlet cover, insert hose and system will automatically start. To stop, remove hose and allow suction to reduce before closing the inlet.

If you have chosen a switch on/off handle hose plug the hose into the inlet with arrow facing up, use handle on/off switch to operate.

Operating Garage Point. Open inlet cover and insert hose. Turn the switch on the side of the system to the ON position. When finished turn switch off and remove hose.

TIPS TO CARE FOR YOUR DUCTED VACUUM SYSTEM – Your system's unit is warranted against defective materials and workmanship but not against misuse. There is a service charge for repairing or replacing damaged or misused components of the system and for service calls. To ensure your ducted system is a life-time improvement for you and your family. Follow these simple tips and you will enjoy it for many years.

1. Do not place any articles around the motor of the power unit.

To do so could cause the motor to overheat as it will impair the cooling of the motor.

2. Use one inlet at a time to maintain proper air flow.

To use more than one vacuum inlet at a time will reduce the air flow that is required to effectively clean the carpets.

3. Hold inlet door open when removing hose.

After removing the hose from the inlet, hold the inlet door open for a few seconds to make sure the unit has stopped and to clear any residual dirt out of the ducting.

4. Do not pick up liquids.

Do not vacuum liquids into the vacuum ducting as any liquid left in the ducting may cause major motor damage (not covered by warranty).

WARNING

- USE ONLY GENUINE PREMIER CLEAN DOUBLE LINER BAGS WHICH PROUDLY DISPLAY THE GENUINE PREMIER CLEAN LOGO.
- WHEN CHANGING BAG, CHECK MESH UNDER BOTTOM PLATE FOR LINT BUILD-UP, CLEAN IF REQUIRED.

DO NOT VACUUM PLASTER DUST, CONCRETE DUST, BRICK DUST, TALCUM POWDER OR ANY LIQUIDS.

FAILURE TO COMPLY WILL VOID ANY IMPLIED WARRANTY.

ALL COMMERCIAL APPLICATIONS - ONE YEAR WARRANTY

Accessories

9mt Standard Hose & Tool Set

2 Way Brush

For use on carpets and vinyl/tiles.
Not recommended for floorboards, slate etc



Telescopic Wand

Adjustable to the height you desire, simply push the button and extend to desired length.



Dusting Brush

Can be used just about anywhere.
Shelves, blinds, lamps, tables and window sills.



Upholstery Brush

This brush comes with removable brushes and can be used on couches, curtains, rugs and mattresses.



Crevice Tool

Use for narrow spaces between couches, window panes, hard to reach areas.



Please Note: Compact units do not come with upholstery brush

9mt Switch on/off Hose & Tool Set also comes with

Hard Floor Brush

For use on any hard surfaces.
Floor boards, vinyl, slate, bricks and rugs.



Hose Hanger

Ideal to hang your hose on.



Switch Variable Hose

Control your unit from where you stand. Turn the unit on or off or select from two suction levels. Turn the suction to low for fine rugs and hard floor surfaces and turn the suction to high for carpets. No more running back to the wall to turn the unit off.



Optional extras Vac Socks to protect walls, accessory hanger to hang your tools on and much more log onto **www.premierclean.com.au** or **1300 881 608** for your nearest dealer.



TK270 Power Brush



Hose Sock - Available in 9mt and 12mt

Motor

There is no maintenance to be performed on the actual motor of your ducted vacuum. The most important tips for a longer vacuum life are - to keep the inside of the unit (canister) itself clean - make sure you do not vacuum up any harmful dusts or ANY liquids (see pg 5 for complete list). Should you require a service to your unit please contact the dealer who you purchased the unit from or call us on 1300 881 608 to find a dealer near you.

Changing Bags and Filters


BUY ONLINE AT
www.premierclean.com.au



Compact/Premier Monarch


WARNING

"FAILURE TO USE PREMIER CLEAN DOUBLE LINER FILTER BAGS WILL CAUSE MOTOR FAILURE AND VOID WARRANTY"




Monarch 250, 490, 550, 650, 850 Compact 2, Typhoon, Premier 200

Lift lid and remove bag from bag adaptor (be careful not to pull bag adaptor off with the bag and throw away). Insert new bag and replace bin. If bag is broken or split, lift bottom plate and clean around airway to the motor and replace plate, wipe inside unit with a cloth to remove excess dirt.



Premier 250, 490, 550, 650, 850 (3000, 4000, 5000, 6000 if taken the option to use as a bag system)

Unclip bottom bin and remove bag from bag adaptor (be careful not to pull bag adaptor off with the bag and throw away). Insert new bag and replace bin. If bag is broken or split, clean secondary filter located above the bag.



Premier 3000, 4000, 5000, 6000 Bagless model

Unclip bottom bin and remove dust canister empty contents. Remove weighted filter clean and replace, check secondary filter if dirty clean and replace. Weighted filter to be replaced once a year, secondary filter to be replaced every two years.

Troubleshooting

Problem	Cause	Action
Suction strength has decreased	<p>Bag or canister is full</p> <p>Units lid or canister not replaced properly</p> <p>Something stuck in the vacuum pipes</p>	<p>Replace bag with new one. Check the airway to the motor and make sure it's clean. Locations as below</p> <p>Monarch series under the bag down the bottom of the unit.</p> <p>Premier Series above the bag.</p> <p>Premier Bagless Series dirt to be empty and change or clean filters</p> <p>A ducted vacuum needs sealed vacuum. Make sure the lid or canister has been put back on securely.</p> <p>If you have a point on the unit in the garage open the point and turn the unit on at the switch on the side. If there is a lot of suction you most likely have a blockage in your pipe. If there is low suction check the above two actions. Contact 1300 881 608 for your nearest service department.</p>
Vacuum will not stop	Hose not properly inserted into vacuum inlet	Ensure that the hose is inserted with arrow facing upwards for switch hoses only
Vacuum will not start up	The electrical power is not connected properly	Ensure that the power cord is plugged into a working power point and is switched on

Warranty

WARRANTY – CUSTOMER COPY

Premier Clean Pty. Limited
Manufacturers of **PREMIER
CLEAN**

Factory 4/1 Merri Concourse,
Campbellfield, Vic 3061

Premier Clean Pty. Limited
ABN 70 005 225 794
warrants its PREMIER CLEAN
VACUUM SYSTEMS (PREMIER/
MONARCH UNITS)

Electric Motors for a period
of 36 months from the date of
purchase against proven defects
in workmanship and materials.

Premier Clean Warrants
Compact 1, Compact 2,
Premier 200 and Typhoon units
Electric Motors for a period
of 12 months from the date of
purchase.

Premier Clean undertakes
to exchange or repair any
part proven to be defective
within the relevant warranty
period PROVIDED THAT the
product has not been modified,
tampered with or repaired
by any person other than
an authorised employee or
dealer and has been used in
accordance with the instructions
supplied. The warranty does
not extend to defects caused by
accident, misuse, abnormal use,
neglect, normal wear and tear,
or connection to incorrect power
supplies. Any parts exchanged
may be either new or rebuilt at
Premier Clean's option.

THIS WARRANTY IS SUBJECT TO THE FOLLOWING CONDITIONS:-

1. WHERE THE PRODUCT WAS INSTALLED BY AN AUTHORISED PREMIER CLEAN DEALER OR AGENT

(a) **Labour and Parts** – For
a period of ninety (90) days
from date of purchase, the
Premier Clean Dealer or Agent
who installed the product

shall remove and repair or
replace the defective part
free of charge, but any cost
associated with travel outside
the metropolitan area is NOT
INCLUDED and shall be paid by
the Purchaser.

(b) **Parts only** – For the
remainder of the relevant
warranty period any defective
part will be repaired or
replaced if taken or delivered
(inward and return freight
pre-paid) to the Premier Clean
Dealer or Agent from whom
the goods were purchased, but
the cost of labour in respect of
on-site repairs, removal or re-
installation by the Premier Clean
Dealer or Agent and the cost of
factory or workshop time shall
be paid by the Purchaser.

2. WHERE THE PRODUCT WAS NOT INSTALLED BY AN AUTHORISED PREMIER CLEAN DEALER OR AGENT

(a) **Labour and Parts** – For
a period of ninety (90) days
from date of purchase any
defective part will be repaired
or replaced if taken or delivered
(inward and return freight
pre-paid) to the Premier Clean
Dealer or Agent from whom
the goods were purchased, but
the cost of labour in respect of
on-site repairs, removal or re-
installation by the Premier Clean
Dealer or Agent, and the cost of
factory or workshop time shall
be paid by the Purchaser.

(b) **Parts only** – For the
remainder of the relevant
warranty period any defective
part will be repaired or
replaced if taken or delivered
(inward and return freight
pre-paid) to the Premier Clean
Dealer or Agent from whom
the goods were purchased, but
the cost of labour in respect of
on-site repairs, removal or re-
installation by the Premier Clean
Dealer or Agent and the cost of
factory or workshop time shall
be paid by the Purchaser.

GENERAL EXCLUSIONS

Premier Clean specifically
excludes from this warranty
any liability whatsoever in
respect of defects caused by the
incorrect installation of Premier
Clean Vacuum System whether
performed by an authorised
Premier Clean Dealer or Agent
or any other person or persons.
In addition, Premier Clean
specifically excludes any liability
whatsoever in respect of any
loss, damage or consequential
loss or damage whatsoever
caused during or resulting from
such installation.

**UNITS OF VACUUM
SYSTEMS WHICH
SPECIFICALLY REQUIRE
FILTER BAGS TO BE USED
ARE EXCLUDED FROM THIS
WARRANTY UNLESS FILTER
BAGS ARE USED. THESE
MUST NOT BE USED TO
VACUUM LIQUIDS, BRICK,
CONCRETE, PLASTER
OR SIMILAR DUST. THIS
WARRANTY COVERS
DOMESTIC USE ONLY.**

PROOF OF PURCHASE

Proof of purchase in the form
of the product warranty card
and/or invoice is a condition of
this warranty and without such
proof this warranty shall not
bind Premier Clean.

**No term of this warranty
purports to exclude,
restrict or modify the
application of any of the
provisions of Part V of the
Trade Practices Act 1974
or of Part IV of the Goods
Act 1958 (Victoria).**

If assistance is required in
understanding the terms and
conditions of the warranty you
should contact either the Dealer
from whom the product was
bought or the Company.

Purchase Receipt

For your future reference

Dealer Name _____

Dealer Phone Number _____

Address _____

Date of Purchase _____



**Please Complete and Return by Post or visit us at
www.premierclean.com.au and complete online**

Purchase Date _____

Model _____

Serial No. _____

(this is found on the top left hand side of the vacuum unit)

Dealer Name _____

Store/Address _____

Purchaser's Name _____

Purchaser's Address _____

Phone _____



Head Office
Factory 4/1 Merri Concourse,
Campbellfield, Vic 3061

PH: 1300 881 608
WEB: www.premierclean.com.au
E-MAIL: info@premierclean.com.au



Factory 4/1 Merri Concourse,
Campbellfield, Vic 3061